# ECM 3x18PT

Műanyag elosztó



| | |
|---|---|
| ETI kód: | **001101047** |
| Sorok: | **3** |
| Katalóguscsoport: | **ECM süllyesztett, műanyag elosztószekrények, IP40** |
| Ajtó típusa: | **Átlátszó ajtó** |
| Méret: | **3x18** |
| Szerelési mód: | **Süllyesztett** |
| IP védettség: | **IP40** |
| Méret (Sorok száma): | **3** |
| Modulszám (Összes/soronként): | **54/18** |
| Ajtó (anyag, szín): | **Műanyag, Átlátszó** |
| Elosztó (anyag, szín): | **plastic, white** |
| PE/N sorkapcsok száma: | **25** |
| Lángállósság (°C): | **650 °C** |
| Névleges feszültség DC: | **400 V** |
| Névleges áram: | **63 A** |
| Névleges feszültség AC (V): | **400 V** |

Online termékoldal

## Dokumentumok

MŰSZAKI ADATKATALÓGUS

HASZNÁLATI ÚTMUTATÓ

NYILATKOZAT

2D FÁJL

3D FÁJL

EPLAN FÁJL

## ETIM

| | |
|---|---|
| Built-in depth | **68 mm** |
| Width | **392 mm** |
| DIN-rail | **Igen** |
| Type of covering | **Door** |
| Neutral terminal block | **Igen** |
| Transparent cover/door | **Igen** |
| Degree of protection (IP) | **IP40** |
| Mounting method | **Flush-mounted** |
| Signal passing door | **Igen** |
| Earthing terminal block | **Igen** |
| Built-in height | **502 mm** |
| Number of rows | **3** |
| Housing material | **Plastic** |
| Depth | **106 mm** |
| Built-in width | **382 mm** |
| Colour | **White** |
| Type of door | **Single** |
| Cover model | **Closed** |
| Height | **522 mm** |
| Width in number of modular spacings | **18** |
| RAL-number | **9 003** |

# Logisztika

## Termék

| | |
|---|---|
| Tömeg | **2,6 kg** |
| Net width | **392,6 mm** |
| Net height | **522 mm** |
| Net depth | **105,8 mm** |
| Stock unit of measure | **pcs** |

## Alapcsomagolás

| | |
|---|---|
| Basic packaging quantity | **1 pcs** |
| EAN code for a basic packaging | **3838895673033** |
| Basic packaging weight | **2,62 kg** |
| Basic Packaging Dimensions Height | **392 mm** |
| Basic Packaging Dimensions Width | **522 mm** |
| Basic Packaging Dimensions Depth | **106 mm** |
| Basic packaging volume | **21,69 dm³** |

## Szállítási csomagolás

| | |
|---|---|
| Transport packaging quantity | **5 pcs** |
| EAN code for a transport packaging | **3838895673040** |
| Transport packaging weight | **14,5 kg** |
| Transport Packaging Dimensions Height | **553 mm** |
| Transport Packaging Dimensions Width | **540 mm** |
| Transport Packaging Dimensions Depth | **408 mm** |
| Transport packaging volume | **121,837 dm³** |
| Pallet quantity | **70 pcs** |
| Customs tariff | **85381000** |

# Dimension

**Flush mounted distribution board**

| type | Dimensions | | | | | | | Max. allowed power losses when Max. number of devices are installed | Static load |
|---|---|---|---|---|---|---|---|---|---|
| | A | B | C | D | E | F | G | Pde | |
| ECM4PT/ECM4PO | 232 mm | 139 mm | 99 mm | - | 123 mm | 216 mm | 69 mm | >10 W | 520 g |
| ECM8PT/ECM8PO | 232 mm | 211 mm | 99 mm | - | 201 mm | 212mm | 68 mm | >16 W | 1040 g |
| ECM12PT/ECM12PO | 232 mm | 283 mm | 106 mm | - | 273 mm | 212 mm | 68 mm | >25 W | 1560 g |
| ECM18PT/ECM18PO | 232 mm | 392 mm | 106 mm | - | 382 mm | 212 mm | 68 mm | >25 W | 2340 g |
| ECM24PT/ECM24PO | 357 mm | 283 mm | 106 mm | 125 mm | 273 mm | 336 mm | 68 mm | >30 W | 1560 g |
| ECM36PT/ECM36PO | 482 mm | 283 mm | 106 mm | 125 mm | 273 mm | 462 mm | 68 mm | >30 W | 1560 g |
| ECM48PT/ECM48PO | 676 mm | 283 mm | 106 mm | 125 mm | 273 mm | 656 mm | 68 mm | >30 W | 1560 g |
| ECM2x18PT/ECM2x18PO | 357 mm | 392 mm | 106 mm | 125 mm | 382 mm | 336 mm | 68 mm | >30 W | 2340 g |
| ECM3x18PT/ECM3x18PO | 522 mm | 392 mm | 106 mm | 125 mm | 382 mm | 502 mm | 68 mm | >35 W | 2340 g |

