



KVL-00 1p M8-M8

Fuse switch disconnecter

ETI Code:	001690890
Type of Installation:	Base plate mounting
Size:	NH00
Rated current:	160 A
Number of poles:	1
Rated AC voltage:	690 V
Rated DC voltage:	440 V
Utilization category:	AC-23B, DC-22B
Type description:	KVL

[Online product page](#) 

Documents



TECHNICAL DATA CATALOG



INSTRUCTION MANUAL



CE DECLARATION



2D FILE



3D FILE



EPLAN FILE

ETIM

Version as safety switch	Yes
Suitable for floor mounting	Yes
Rated permanent current I _n	160 A
Suitable for fuses	NH00
Type of control element	Cover grip
Type of electrical connection of main circuit	Screw connection
Number of poles	1
Version as main switch	Yes

Logistics


Product

EAN code for a single product	3838895840824
Net weight of the product	0.31 kg
Net width	50 mm
Net height	204.1 mm
Net depth	83.19 mm
Stock unit of measure	pcs


Transport Packaging

Transport packaging quantity	2 pcs
EAN code for a transport packaging	3838895822929
Transport packaging weight	0.62 kg
Transport Packaging Dimensions Height	108 mm
Transport Packaging Dimensions Width	217 mm
Transport Packaging Dimensions Depth	85 mm
Transport packaging volume	1.992 dm³
Pallet quantity	1,000 pcs
Customs tariff	85363090

Dimension



	a	b	c	e	f	g	h1	h2	h3	i	l	p	q	r	s	t1
KVL-00 1p M8-M8	50	195	204	84	120	42	45	7	-	16,5	Ø9	4,5	12	102	5	187
KVL-00 2p M8-M8	100	195	204	84	120	42	45	7	-	16,5	Ø9	4,5	12	102	5	187



	a	b	c	e	f	g	h1	h2	h3	i	l	p	q	r	s	t1	t2	u
KVL-1 1p M10-M10	69	298	306	117	185	46	70	32	-	25	Ø10,5	4	19	138	5	272	-	-
KVL-3 1p M10-M10	91	298	306	143	205	36	90	32	70	26	Ø14	4	19	138	10	268	288	5